

File D:\DATA\

Acq. Method : D:\METHODS\1-POS-MON-1.M

Analysis Method : D:\METHODS\1-POS-MON-1.M

Sample Info : Easy-Access Method: '1-POS-MON-1.M'

Method Info : Column:Xbridge C18(2) (4.6x 50 mm, 3.5um)


Mobile phase: H2O(10 mmol NH4HCO3) (A) / ACN(B)

Elution program: Gradient from 10 to 95% of B in 1.5min at 1.8ml/min


Temperature: 50 °C

Detection: UV (214 , 4 nm) and MS (ESI, Neg mode ,103 to 800 amu)


*ADC1 A, ELSD




*DAD1 A, Sig=214,4 Ref=off



*DAD1 B, Sig=254,4 Ref=off



MSD1 TIC, MS File ES-API, Pos, Scan, Frag: 80



Integration Results for ADC1 A, ELSD

RetTim	Width	Area	Height	Area%
--------	-------	------	--------	-------

Integration Results for DAD1 A, Sig=214,4 Ref=off


RetTim	Width	Area	Height	Area%
1.39	0.02	7.62	6.12	0.29
1.46	0.01	4.06	4.88	0.15
1.48	0.02	17.35	13.88	0.66
1.57	0.02	8.66	7.51	0.33
1.60	0.02	2573.08	2019.66	97.81
1.74	0.03	13.71	7.23	0.52
1.87	0.02	6.18	5.69	0.24

Integration Results for DAD1 B, Sig=254,4 Ref=off


RetTim	Width	Area	Height	Area%
1.60	0.02	1789.71	1746.55	100.00

Ret. Time: 1.39


<<<< POSITIVE SPECTRA >>>>




Ret. Time: 1.49



Ret. Time: 1.60



Ret. Time: 1.87



Ret. Time: 2.32

