




File D:\DATA\ Tgt Mass (EZ):
Injection Date : 14 Nov 16 12:55 pm +0800 Seq. Line : 0
Sample Name : Location :
Acq. Operator : Inj : 1
Spec. Reported : MS Integration Inj Volume : 2 ul
Acq. Method : D:\METHODS\2-POS-MON-1.M
Analysis Method : D:\METHODS\2-POS-MON-1.M
Sample Info : Easy-Access Method: '1-POS-MON-1'
Method Info : Column:Xbridge C18(2) (4.6x 50 mm, 3.5um)
Mobile phase: H2O(10 mmol NH4HCO3) (A) / ACN(B)
Elution program: Gradient from 10 to 95% of B in1.5min at 1.8ml/min
Temperature: 50 °C
Detection: UV (214,254 nm) and MS (ESI, Pos mode ,103 to 800 amu)



Integration Results for DAD1 A, Sig=214,4 Ref=off


RetTim	Width	Area	Height	Area%
1.95	0.04	1373.00	470.89	100.00

Integration Results for DAD1 B, Sig=254,4 Ref=off


RetTim	Width	Area	Height	Area%
1.95	0.04	1710.10	575.48	100.00

Ret. Time: 1.97


<<<< POSITIVE SPECTRA >>>>




Ret. Time: 2.23




Ret. Time: 2.40




Ret. Time: 2.56



Ret. Time: 2.74



Ret. Time: 2.82



Ret. Time: 2.94

